



Reg. No. 010/P-012

# EVPÜ<sup>®</sup>



## CERTIFICATE No. 00054/101/1/2023 on September 13<sup>th</sup>, 2023

Certification body of EVPÜ a.s. confirms the compliance of the products with requirements of undermentioned standard.

Product: **Fire detection and fire alarm system**

Type: **Fire detection and fire alarm system with control and indicated equipment  
LT-159**

The list of system compatible components: **See Annex No. 1**

Specification: **100--240VAC, 0.7A, 50/60Hz**

Client: **Notifier Italia S.r.l.,  
Via Grandi, 22, 20097 San Donato Milanese (MI), Italy**

Manufacturer: **Notifier Italia S.r.l.,  
Via Grandi, 22, 20097 San Donato Milanese (MI), Italy**

Standard: **EN 54-13: 2017 + A1: 2019**

Results of tests of mentioned products are summarized in Final report on assessment No. **0-0203/23/C**  
of **September 13<sup>th</sup>, 2023**.

Validity of certificate  
is limited for the period  
from: **September 13<sup>th</sup>, 2023**  
until: **September 12<sup>th</sup>, 2026**



  
Michal Mišiak

Any significant changes in the design or construction of the products or amendments of the technical decrees reference above may render this Certificate invalid. The product liability rests with the manufacturer or his representative.


EVPÜ a.s., Trenčianska 19, 018 51 Nová Dubnica, Slovak republic, [www.evpu.sk](http://www.evpu.sk)

054607

Annex No.1 to Certificate No. 00054/101/1/2023

The list of system compatible components (part 1):

FDAS component	Component description	CPR
LT-159	fire detection panel	0370-CPR-6204
<i>Detectors</i>		
MI-PSE-S2	Low profile Optical Smoke Sensor - White	0786-CPR-20745
MI-PSE-S2I	Low profile Optical Smoke Sensor - WHITE - c/w SCI	0786-CPR-20739
MI-PSE-S2-IV	OPT DET NO ISO IV MORLEY IAS	0786-CPR-20745
MI-PTIR-S2	Smoke / Heat / IR Sensor - WHITE	0786-CPR-20743
MI-PTIR-S2I	Smoke / Heat / IR Sensor - WHITE - c/w SCI	0786-CPR-20737
MI-PTIR-S2-IV	PTIR DET NO ISO IVORY MORLEY	0786-CPR-20743
MI-PTSE-S2	PH/TH DET NO ISO MORLEY	0786-CPR-20744
MI-PTSE-S2I	PH/TH DET ISO MORLEY	0786-CPR-20738
MI-PTSE-S2-IV	PH/TH DET NO ISO IVORY MORLEY	0786-CPR-20744
MI-FHSE-S2	Heat sensor. 58 °C, EN54 part 5. Type A1 - WHITE	0786-CPD-20746
MI-FHSE-S2I	Heat sensor. 58 °C, EN54 part 5. Type A1 - WHITE - c/w SCI	0786-CPD-20740
MI-FHSE-S2-IV	58°C FIX TH NO ISO IV MORLEY	0786-CPD-20746
MI-HTSE-S2	High temp heat sensor, 78 °C - WHITE	0786-CPD-20747
MI-HTSE-S2I	High temp heat sensor, 78 °C - WHITE - c/w SCI	0786-CPD-20741
MI-HTSE-S2-IV	78°C FIX TH NO ISO IV MORLEY	0786-CPD-20747
HM-PSE-AP	ADDRESSABLE SMOKE DETECTOR AP PROTOCOL	550q/02
HM-PSE-I-AP	ADDRESS SMOKE DETECTOR WITH INBUILT ISOLATOR AP PROTOCOL	550q/02
HM-RHSE-AP	ADDRESSABLE ROR HEAT DETECTOR AP PROTOCOL	550m(cl-1)
HM-RHSE-I-AP	ADD ROR HEAT DET WITH INBUILT ISOLATOR AP PROTOCOL	2831-CPR-F1767
HM-FHSE-AP	ADDRESSABLE FIXED HEAT DETECTOR AP PROTOCOL	550m(cl-1)
HM-FHSE-I-AP	ADDRESSABLE FIXED HEAT DETECTOR WITH INBUILT ISOLATOR AP PROTOCOL	2831-CPR-F1769
HM/FHSE	Fixed heat detector	2831-CPR-F1768
HM/FHSE/I	Fixed heat detector with Isolator	2831-CPR-F1769
HM/PSE	Smoke detector	2831-CPR-F1764
HM/PSE/I	Smoke detector with Isolator	2831-CPR-F1765
HM/PSE/S2	Smoke detector without Isolator	2831-CPR-F2057
HM/PSE/S2/I	Smoke detector with Isolator	2831-CPR-F2058
HM/PTSE	Photo Thermal detector	2831-CPR-F1770
HM/PTSE/I	Photo Thermal detector with Isolator	2831-CPR-F1771
HM/RHSE	ROR heat detector	2831-CPR-F1766
HM/RHSE/I	ROR heat detector with Isolator	2831-CPR-F1767
MI/B501AP/IV	MIAS 200 Series Advance Base	-
B501AP	Detector Base Pure With	-



**The list of system compatible components (part 2):**

B501AP-IV	Detector Base Ivory	-
MI-RHSE-S2	Heat sensor. 58 °C & RoR (Type A1R) - WHITE	0786-CPD-20748
MI-RHSE-S2I	Heat sensor. 58 °C & RoR (Type A1R) - WHITE - c/w SCI	0786-CPD-20742
MI-RHSE-S2-IV	ROR TH NO ISO IVORY MORLEY IAS	0786-CPD-20748
MI-LPB2-S3I	Optical beam detector based on reflective technology	1293-CPR-0692
MI-LPB2-S3I-40	Intelligent Beam Detector (Short) Morley	1293-CPR-0692
MI-LZR-S3I	Intelligent Beam Detector Morley	2831-CPR-F2558
MI-OSI-RIE	INT BEAM MORLEY EUR - ADV PROTOCOL	0333-CPR-075624-2
<b>MANUAL CALL POINTS</b>		
MI-MCP-FLEX	Manual call point, Flexible element included	2831-CPR-F1748
MI-MCP-FLEX/C	Intelligent Indoor Manual Call Point Flexi, not isolated	2831-CPR-F1748
MI-MCP-FLEX-I	Manual call point, Flexible element included - c/w SCI	2831-CPR-F1756
MI-MCP-FLEX-I/C	Intelligent Indoor Manual Call Point Flexi, isolated	2831-CPR-F1756
MI-MCP-GLASS	Manual call point. Glass element included	2831-CPR-F1748
MI-MCP-GLASS-I	Manual call point, Glass element included - c/w SCI	2831-CPR-F1756
MI-WCP-R//SG	Waterproof manual call point, IP67 - c/w SCI	2831-CPR-F1758
MI-WCP-R//SG/C	Intelligent Outdoor Manual Call Point glass, isolated	2831-CPR-F1758
MI-WCP-R/SG	Waterproof manual call point, IP 67.	2831-CPR-F1753
MI-WCP-R/SF	Waterproof manual call point, IP 67. Flexi	2831-CPR-F1753
MI-WCP-R//SF/C	Intelligent Outdoor Manual Call Point flexi, isolated	2831-CPR-F1758
HM/MCP/GLASS	MCP, MORLEY, LPCB	C550h-(cl-2)
<b>MODULES</b>		
MI/D240CMO	OUTPUT MODULE 240V, MIAS, IN	2821-CPR-F1604
MI/D2ICMO	2 INPUT, 1 OUTPUT MODULE, MIAS, IN	2831-CPR-F1608
MI/DCMO	OUTPUT MODULE, MIAS, IN	2831-CPR-F1603
MI/DCZRM	CONVENTIONAL ZONE MODULE, MIAS, IN	2831-CPR-F1609
MI/DISO	ISOLATOR MODULE, MIAS, IN	2831-CPR-F1602
MI/DMM2I	INPUT MODULE DUAL, MIAS, IN	2831-CPR-F1607
MI/DMMI	INPUT MODULE SINGLE, MIAS, IN	2831-CPR-F1606
MI-CR6-S2I	six way changeover relay output with built-in loop isolation	0905-CPR-191780
MMA1-MI	1 Input Module Mini	1293-CPR-0801
CMA1-MI	1 Output Module Mini	1293-CPR-0803
MI-D240CMO	AA 240VAC OUTPUT MODULE MP	0786-CPR-21658
MI-D240CMO-DIN	AA 240VAC OUTPUT MODULE MP DIN	0786-CPR-21658
MI-D240CMOE	Output Control Module, 240Vac relay contact c/w surface enclosure.	0786_CPR-21748
MI-D2ICMO	2 INPUT, 1 OUT MODULE - MORLEY	0786-CPR-21648
MI/D2ICMOE	2 INPUT, 1 OUTPUT MODULE, MIAS, IN	In progress
MI/DCMOE	OUTPUT MODULE, MIAS, IN	In progress
MI/DMM2IE	INPUT MODULE DUAL, MIAS, IN	In progress
MI/DMMIE	INPUT MODULE SINGLE, MIAS, IN	In progress

054608



**The list of system compatible components (part 3):**

MI-D2ICMOE	Dual input and single control output combination module	0905-CPR-210492
MI-DCMO	ANALOGUE I/FACE DET IAS O/P I/FACE MODU	0786-CPR-21658
MI-DCMOE	Output control module	0905-CPR-210492
MI-DCZM	CONVENT ZONE MONITOR MODULE	2831-CPR-F4276
MI-DCZRM	CONVENTIONAL ZONE MODULE	2831-CPR-F4277
MI-DCZRME	Addressable zone monitor module	In progress
MI-DISO	Loop isolation module.	0786-CPR-21643
MI-DMM2I	DUAL INPUT MODULE - MORLEY IAS	0786-CPR-21653
MI-DMM2IE	Dual Input monitor module	0905-CPR-210492
MI-DMMI	SINGLE INPUT MODULE-MORLEY IAS	0786-CPR-21653
MI-DMMIE	Single Input monitor module	0905-CPR-210492
MI-IM10-S2I	Ten input monitor module	0905-CPR-191779
MI-MM3E-S2	Addressable "mini" input module	0905-CPR-00176_3
<i>SOUNDER-FLASH</i>		
MI-BGL-PC-I	Intelligent Detector Base Strobe Only EN54-23 C Class, pure white clear lens	2831-CPR-F4469
MI-BRH-PC-I	Intelligent Detector Base High Performance Sounder Strobe EN54-23 C Class,	2831-CPR-F4463
MI-BRS-PC-I	Intelligent Detector Base Standard Performance Sounder Strobe EN54-23 C Class	2831-CPR-F4466
MI-BSO-DD-I	Intelligent Detector Base Sounder Ivory Color Isolated	2831-CPR-F2255
MI-BSO-DD-N	Intelligent Detector Base Sounder Ivory Color Not Isolated	2831-CPR-F2251
MI-BSO-PP-I	Sensor Sounder Base - WHITE skirt - c/w SCI	2831-CPR-F2255
MI-BSO-PP-N	Sensor Sounder Base - WHITE skirt	2831-CPR-F2251
MI-DSS-PC-I	Sensor Sounder Strobe Base - White skirt/Clear lens + SCI	2831-CPR-F2089
MI-DSS-PC-N	Sensor Sounder Strobe Base - White skirt/Clear lens	2831-CPR-F2085
MI-WSO-PP-I	WHITE Body Sounder - c/w SCI	2831-CPR-F2253
MI-WSO-PP-N	WHITE body sounder	2831-CPR-F2249
MI-WSO-PR-I	RED body Sounder - c/w SCI	2831-CPR-F2253
MI-WSO-PR-N	RED body Sounder	2831-CPR-F2249
MI-WSS-PC-I	Intelligent Wall Mount Sounder Strobe EN54-23 O Class	2831-CPR-F0276
MI-WSS-PC-N	WHITE body sounder RED VAD c/w CLEAR lens (EN54-23 O Class approved)	2831-CPR-F0274
MI-WSS-PR-I	WHITE body Sounder RED VID c/w RED lens (non EN54-23) & SCI	2831-CPR-F2254
MI-WSS-PR-N	WHITE body Sounder RED VID c/w RED lens (non EN54-23)	2831-CPR-F0269
MI-WST-PC-I	Intelligent Wall Mounted Strobe Pure White Red Lens Isolated	2831-CPR-F2250
MI-WST-PR-N	WHITE body RED VAD c/w CLEAR lens (EN54-23 O Class approved) Isolated	2831-CPR-F2250
MI-WST-PC-N	Intelligent Wall Mounted Strobe Pure White Red Lens, Not Isolated	2831-CPR-F0272
WPW	AV PHASE II WHITE W/PROOF DEEP BASE	
WRR	AV PHASE II RED W/PROOF DEEP BASE	



**The list of system compatible components (part 4):**

<i>WIRELESS DEVICES</i>		
MI-GATE	S200RF Gateway Module Morley-IAS	0333-CPR-075608
22051E-RF	Photo Detector	0333-CPR-075561
22051TLE-RF	Multi-Criteria: Photo-Thermal-IR Detector	0333-CPR-075487
52051E-RF	58° C Fixed Temperature Heat Detector	G217070
52051RE-RF	Rate of Rise Heat Detector	G217069
M200F-RF	Repeater, providing larger area coverage and more robust communication	0333-CPR-075501
M200G-RF	Gateway radio network Fire Detection system	G217065
R5A-RF	Waterproof Manual Call Point	0333-CPR-075496
M200I-RF	Remote Indicator	DOC-S200RF_05
M211E-RF	I/O Module	0333-CPR-075600
WSO-RR-RF	SS Wall Mounted Addressable Sounder Red	0905-CPR-00819_2
WSO-WW-RF	SS Wall Mounted Addressable Sounder White	0905-CPR-00819_2
WSS-RR-RF	Wall Mounted Sounder VAD, red led, red lens	0905-CPR-201262
WSS-WR-RF	Wall Mounted Sounder VAD, red led, clear lens	0905-CPR-201262
WSF-RR-RF	Wall Mounted Sounder VAD, red led, red lens	0905-CPR-201262
WSF-WR-RF	Wall Mounted Sounder VAD, red led, clear lens	0905-CPR-201262
MI-RF-USB-PRO	USB Dongle RF 868 MHz Morley IAS PRO	-
M200WC-RF	USB Wireless Dongle, for Wireless Fire System interfacing	-

<b>CONVENTIONAL DEVICE LIST</b>		
<i>Thermal detector Connected by Input Module</i>		
TMP2-D-xxx	Heat detector	0068-CPR-009
TMP2-JO-xxx	Heat detector	0068-CPR-009
<i>Beam detector Connected by Input Module</i>		
6500RE	Conventional Beam detector	1293-CPR-0684
6500RSE	Conventional Beam detector	1293-CPR-0684
ES-50	Conventional Beam detector	0786-CPR-20214
ES-25I	Conventional Beam detector	0786-CPR-20214
B100	Conventional Beam detector	0786-CPR-20264
OSI-10	OSID receiver unit	0333-CPR-075387
OSI-90	OSID receiver unit	0333-CPR-075387
OSE-SP-01	OSID emitter unit	0333-CPR-075387
OSE-SPW	OSID emitter unit	0333-CPR-075387
OSE-HP-01	OSID emitter unit	0333-CPR-075387
OSE-HPW	OSID emitter unit	0333-CPR-075387
OSI-RE-SS	Conventional Beam detector	0333-CPR-075624

054609



**The list of system compatible components (part 5):**

<i>Conventional MCP Connected by Input Module</i>		
M3A-R000SG-STCK-01	Manual call point	2831-CPR-F1709
M3A-R000SF-STCK-01	Manual call point	2831-CPR-F1709
W3A-R000SG-STCK-01	Manual call point	2831-CPR-F1723
W3A-R000SF-K013-01	Manual call point	2831-CPR-F1723
W3A-Y000SG-K013-14	Manual call point	1035-CPR-ES067290
M3A-B000SG-K013-11	Manual call point	1035-CPR-ES067290
<i>Conventional SOUNDERS / FLASH Connected by Output Module</i>		
CWSO-RR-S1	Conventional sounder	2831-CPR-F0254
CWSO-RR-W1	Conventional sounder	2831-CPR-F0254
CWST-RW-S5	Conventional Beacon	2831-CPR-F0257
CWST-RR-S5	Conventional Beacon	2831-CPR-F0258
CWST-RW-W5	Conventional Beacon	2831-CPR-F0257
CWST-RR-W5	Conventional Beacon	2831-CPR-F0258
CWSS-RR-S3	Conventional sounder / Beacon	2831-CPR-F0262
CWSS-RW-S5	Conventional sounder / Beacon	2831-CPR-F0261
CWSS-RR-S5	Conventional sounder / Beacon	2831-CPR-F0262
CWSS-RW-W5	Conventional sounder / Beacon	2831-CPR-F0261
CWSS-RR-W5	Conventional sounder / Beacon	2831-CPR-F0262
CWSS-RR-W3	Conventional sounder / Beacon	2831-CPR-F0262
CWSS-RB-S7	Conventional sounder / Beacon	2831-CPR-F0256
CWSS-RB-W7	Conventional sounder / Beacon	2831-CPR-F0256
DSE1-EN	Acoustic self-powered device	0051-CPR-02157
DSE1-PW	Audio/Visual Device	1293-CPR-0600
DSE2-EN	Sounder Device	0051-CPR-0158
DSE3-EN	Audio/Visual Device	0051-CPR-0158
DSE3-HQW	Audio/Visual Device	1293-CPR-0570
DSE3-23 HW	Audio/Visual Device	1293-CPR-0570
DSE3-23 HQ	Audio/Visual Device	1293-CPR-0570
PAN1-PLUS-W	Audio/Visual Device	1293-CPR-0597
PAN1-PLUS-Y	Audio/Visual Device	1293-CPR-0597
PAN1-PLUS-EN3	Sounder Device	1293-CPR-0602




Annex No.1 to Certificate No. 00054/101/1/2023

**The list of system compatible components (part 6):**

<i>DOOR HOLDERS Connected by Output Module</i>		
960120	Door Holder	Nr.0150-CPR
960119	Door Holder	Nr.0143-CPR
960121	Door Holder	Nr.0152-CPR
960122	Door Holder	Nr.0153-CPR
960130	Door Holder	Nr.0017-CPR
UTKFM05	Door Holder	0407-CPD-056
UTKFM10	Door Holder	0407-CPD-056
UTKFZ05C	Door Holder	0407-CPD-056
UTKFZ05L	Door Holder	0407-CPD-056

<i>Conventional Aspiration system via Input module</i>		
FLX-010	Aspiration System	0786-CPR-21734
FLX-020	Aspiration System	0786-CPR-21734
<i>Remote POWER SUPPLY for Conventional devices</i>		
HLSPS25	Power Supply equipment	1134-CPR-085
ALI50EN	Power Supply equipment	1293-CPR-0483
HLSPS50	Power Supply equipment	1134-CPR-085
EFC-PS524	Power Supply equipment	1293-CPR-0603
<i>Digital communicator</i>		
DAL-COM-21	Digital Communicator IP/4G	2531- CPR232.1747



054610

